

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	"6292839"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/08/03 15:52
L2	7	l1 and modif\$4	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/08/03 15:53
L3	1	l1 and (modif\$4 near header)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/08/03 15:53
L4	3	l2 and tunnel\$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/08/03 15:53
L5	6	("6292839").URPN.	USPAT	OR	ON	2005/08/03 15:56
L6	3	(modif\$4 near header) same (tunnel\$3)	USPAT	OR	ON	2005/08/03 15:56
L7	7	(modif\$4 near header) same (tunnel\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:02
L8	52	(compress\$3 same decompress\$3) same (tunnel\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:02
L9	30	l8 and @ad < "20011128"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:07
L10	15	"5935212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 17:07
S1	1187	(709/246).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/30 13:12
S2	2433	(709/245-246).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/30 13:13
S3	6	(tunnel\$3 adj1 request) and S2	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/30 13:19

S36	13	"6377982"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/05 13:29
S37	384	(modify\$3 or alter\$3 or chang\$3 or convert\$3) with ((ip adj1 header\$1) or (tunnel\$3 adj1 request\$1))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/07 09:49
S38	2440	(709/245-246).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:50
S39	8	S37 and S38	USPAT	OR	OFF	2005/01/07 09:58
S40	26	S37 and S38	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/07 10:01
S41	1	"6836481"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/07 10:04
S42	1	S37 and S41	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/07 10:07
S43	1	"6690669"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/07 10:06
S44	1	S37 and S43	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/07 10:08
S45	2	"6550641"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/07 10:09
S46	3	"6473426"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/07 10:14
S47	0	S37 and S46	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/07 10:10
S48	5	"6438612"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/07 10:14
S49	130	"5528595"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/10 11:19
S50	0	(modify\$3 or alter\$3 or chang\$3 or convert\$3) with ((ip adj1 header\$1) or (tunnel\$3 adj1 request\$1)) and S49	USPAT	OR	OFF	2005/01/10 11:17
S51	0	(modify\$3 or alter\$3 or chang\$3 or convert\$3) same ((ip adj1 header\$1) or (tunnel\$3 adj1 request\$1)) and S49	USPAT	OR	OFF	2005/01/10 11:17

S52	32	tunnel\$3 and S49	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/10 11:19
S53	0	"luekenhoff.in"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/11 11:53
S54	0	"lueckenhoff.in"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/11 11:54
S55	0	("lueckenhoff.in").PN.	USPAT	OR	OFF	2005/01/11 11:54
S56	0	"lueckenhoff.in"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/11 11:55
S57	64210	(indicat\$3 or identified or id) with (checksum or fragment or offset)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/12 16:10
S58	6278	(header\$1 or payload) and S57	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/12 16:10
S59	233423	(adjust\$3 or format\$3 or conver\$4) with (packet@1 or cell\$1 or frame\$1 or datagram)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/12 16:12
S60	2004	S58 and S59	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/12 16:12
S61	515	(tunnel\$3 or encapsulat\$3) and S60	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/12 16:14
S62	354	S61 and @ad < "20011128"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/12 17:00
S63	6	"6304914"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/12 17:16
S64	46	"5548532"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/12 17:24
S65	170	(714/52).CCLS.	USPAT	OR	OFF	2005/01/13 13:28
S66	908	(714/4).CCLS.	USPAT	OR	OFF	2005/01/13 13:17
S67	0	("l1ands2").PN.	USPAT	OR	OFF	2005/01/13 13:31
S68	2451	(709/245-246).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/13 13:31
S69	0	S65 and S68	USPAT	OR	OFF	2005/01/13 13:32
S70	23522	(format\$3 or convert\$3) with (packet\$1)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/13 13:32

S71	4	S65 and S70	USPAT	OR	OFF	2005/01/13 13:36
S72	78	S66 and S70	USPAT	OR	OFF	2005/01/13 13:36
S73	0	(tunnel\$3 with request) same (translat\$3 with (initial near request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:34
S74	1035	(tunnel\$3 with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:34
S75	499	S74 and @ad < "20011128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:34
S76	288	S75 and (translat\$3 or conver\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 12:17
S77	2	S75 and ((translat\$3 or conver\$4) same (tunnel\$3 near request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 12:17
S78	1	(translat\$3 or conver\$4) same (((initial or first or original) near request) same (tunnel\$3 near request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:06
S79	2	"6829709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:21
S80	1	S79 and (tunnel\$3 same (translat\$3 or conver\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:23
S81	9	"6366563"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:23

S82	0	S81 and (tunnel\$3 same (translat\$3 or conver\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:25
S83	5	S81 and (tunnel\$3 or (translat\$3 or conver\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:27
S84	2	"6650620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:25
S85	0	S84 and (tunnel\$3 same (translat\$3 or conver\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:25
S86	1	S84 and (tunnel\$3 or (translat\$3 or conver\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:25
S87	2	"6795917"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:26
S88	2	"6799220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:26
S89	1	S88 and (tunnel\$3 or (translat\$3 or conver\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:47